Safety Data Sheet

Issue Date 04-Feb-2014

Revision Date 10-Oct-2019

Version: 4.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Product Name Product Code: Pure substance/mixture

Osmocote Exact Standard High K 8-9M; 11-11-18+TE 88280225EC Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised againstRecommended UseFertilizer (PC12). Restricted to professional users.Uses Advised Against:Consumer use [SU 21].

<u>1.3. Details of the supplier of the safety data sheet</u> Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008 (CLP)

Eye Irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements



Signal Word: Danger

Hazard Statements:

H412 - Harmful to aquatic life with long lasting effects

H318 - Causes serious eye damage

Contains Ammonium nitrate; NH4NO3, Potassium sulphate; K2SO4

Precautionary Statements:

P280 - Wear eye protection/ face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

Other hazards (UN-GHS)

Harmful to aquatic life

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Ammonium nitrate; NH4NO3	229-347-8	6484-52-2	25 - 40%	Eye Irrit. 2 (H319) Ox. Sol. 3 (H272)	01-2119490981-27
Potassium sulphate; K2SO4	231-915-5	7778-80-5	10 - 25%	Eye Dam. 1 (H318)	01-2119489441-34
Iron sulphate; FeSO4+1H2O	231-753-5	7720-78-7	0.1 - 1%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119513203-57
Copper sulphate anhydrous; CuSO₄	231-847-6	7758-98-7	0.1 - 1%	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119520566-40
Manganese sulphate; MnSO4+1H2O	232-08-99	7785-87-7	0.1 - 1%	STOT RE 2 (H373) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	01-2119456624-35

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice:	First aid measures should be executed by trained personnel only.
Inhalation	Dusty conditions are unlikely if product is used as intended. However, if prolonged inhalation of dust occurs, remove casualty to fresh air. If symptoms persist, call a physician.
Skin Contact:	If a person feels unwell or symptoms of skin irritation appear, consult a physician. Rinse with plenty of water.
Eye Contact:	Rinse eyes with water as a precaution. If eye irritation persists, consult a specialist.
Ingestion:	If conscious, drink plenty of water. Do NOT induce vomiting. Rinse mouth. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media	
Suitable Extinguishing Media:	

Coordinate fire extinguishing measures to fire in surrounding area. Use dry chemical, CO2, water spray or "alcohol" foam.

Unsuitable Extinguishing Media:

High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions:	Avoid dust formation. Sweep-up to prevent slipping hazard.
For Emergency Responders:	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not contaminate surface water.

6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so. Methods for Cleanup: Shovel or sweep up.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities Keep away from heat and sources of ignition. Keep away from

Technical measures/storage conditions:

Packaging Materials: LGK (Germany)

7.3. Specific end use(s)

Specific use(s) Exposure scenario out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep at temperatures between 0 °C and 40 °C. Store in original container. Store in a closed container.

food, drink and animal feeding stuffs. For quality reasons: Keep

Exempt

Fertilizer; www.everris.com; Read and follow label instructions Mixture. Not required.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Annual tracks All NO	
Ammonium nitrate; NH₄NO₃	
Australia	N.A.
Czech Republic OEL	10.0 mg/m³ TWA
Potassium sulphate; K ₂ SO ₄	
Bulgaria - OEL- TWAs	10.0 mg/m³ TWA
Latvia - OEL - TWAs	10 mg/m³ TWA
Iron sulphate; FeSO4+1H2O	
Belgium - 8 Hr TWA	1 mg/m ³
Denmark	TWA: 1 mg/m ³
Finland	TWA: 1 mg/m ³
Ireland	TWA: 1 mg/m ³
	STEL: 2 mg/m ³
Norway	TWA: 1 mg/m ³
	STEL: 2 mg/m ³
Portugal	TWA: 1 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m ³
Switzerland	TWA: 1 mg/m ³
UK EH40 WEL (8h)	LTEL (8 hr TWA) 1 mg/m ³
	STEL (15 min) 2mg/m ³
Copper sulphate anhydrous; CuSO4	
Austria	STEL 4 mg/m ³
	TWA: 1 mg/m ³
Australia	N.A.
Finland	TWA: 0.02 mg/m ³

Poland	TWA: 0.2 mg/m ³		
Russia TWA	0.5 mg/m³ TWA 1258		
Switzerland	STEL: 0.2 mg/m ³		
	TWA: 0.1 mg/m ³		
Manganese sulphate; MnSO4+1H2O			
Austria	STEL 2 mg/m ³		
	TWA: 0.5 mg/m ³		
Australia	0.2 mg/m ³		
Belgium - 8 Hr TWA	0.2 mg/m ³		
Denmark	TWA: 0.2 mg/m ³		
Finland	TWA: 0.02 mg/m ³ TWA: 0.2 mg/m ³		
Ireland	TWA: 0.2 mg/m ³		
	STEL: 0.6 mg/m ³		
Japan	0.2 mg/m ³ OEL Mn		
NL MAC - TWA:	STEL: 0.05 mg/m ³		
	TWA: 0.2 mg/m ³		
Norway	TWA: 0.1 mg/m ³		
	STEL: 0.1 ppm		
Poland	TWA: 0.05 mg/m ³		
Portugal	TWA: 0.2 mg/m ³		
Spain - Valores Limite Ambientales - VLE	TWA: 0.2 mg/m ³		
	TWA: 0.05 mg/m ³		
Switzerland	TWA: 0.5 mg/m ³		
UK EH40 WEL (8h)	5 mg/m ³		

Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Ammonium nitrate; NH4NO3 6484-52-2 (25 - 40%)	36 mg/m ³	5.12 mg/kg bw/day	8.9 mg/m ³
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (10 - 25%)		21.3 mg/kg bw/day	37.6 mg/m ³
Manganese sulphate; MnSO ₄ +1H ₂ O 7785-87-7 (0.1 - 1%)	37.6 mg/m ³	0.004 mg/kg bw/day	0.2 mg/m ³

Predicted No Effect Concentration (PNEC) No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Ammonium nitrate; NH4NO3 6484-52-2 (25 - 40%)						18 mg/l
Potassium sulphate; K₂SO₄ 7778-80-5 (10 - 25%)	0.68 mg/l		0.068 mg/l			10 mg/l
Copper sulphate anhydrous; CuSO ₄ 7758-98-7 (0.1 - 1%)	7.8 μg/l	87 mg/kg	5.2 μg/l	676 mg/kg	65 mg/kg	230 µg/l
Manganese sulphate; MnSO4+1H2O 7785-87-7 (0.1 - 1%)	0.013 mg/l	0.011 mg/kg	0 mg/l	0.001 mg/kg	25.1 mg/kg	25.1 mg/kg

8.2. Exposure controls

Personal protective equipment	
Eye/Face Protection	Wear eye/face protection
Hand protection	Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.
Respiratory Protection	Not required; except in case of aerosol formation. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit
Skin and body protection:	Lightweight protective clothing
Hygiene Measures:	Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State:	Solid
Appearance:	Granules
Color:	brown, green, blue.
Odor:	None
Bulk density:	1012 - 1162 kg/m³
Melting Point/Freezing Point:	No data available
Boiling Point/Range:	Solid. Not applicable.
Flash Point:	Solid. Not applicable.
Evaporation Rate:	Solid. Not applicable.
Flammability (solid, gas):	Not flammable
Vapor Pressure:	Solid. Not applicable.
Vapour density	Solid. Not applicable.
Relative density	No data available
Water Solubility:	No data available
Solubility(ies)	No data available
Partition Coefficient:	Solid. Not applicable.
Autoignition Temperature:	No data available
Decomposition temperature:	No data available
Explosive Properties:	Doesn't present explosion hazard.
9.2. Other information	
VOC Content (%):	Solid. Not applicable.

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact May cause slight irritation.

Skin Contact

May cause irritation.

Ingestion

May cause gastrointestinal discomfort if consumed in large amounts.

Information on Toxicological Effects

None known Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document: *ATEmix (oral):* 34,501.00 mg/kg

Unknown Acute Toxicity:	0% of the mixture consists of ingredient(s) of unknown toxicity.
Potassium sulphate; K ₂ SO ₄ (7778-80-5)	

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium nitrate; NH4NO3	= 2217 mg/kg (Rat)	> 5000 mg/kg	> 88.8 mg/L (Rat) 4 h
Potassium sulphate; K ₂ SO ₄	= 6600 mg/kg (Rat)	> 2000 mg/kg (Rat)	N.E.
Iron sulphate; FeSO ₄ +1H ₂ O	= 500 mg/kg (Rat)	= 155 mg/kg (Rat)	
Copper sulphate anhydrous; CuSO ₄	= 300 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	
Manganese sulphate; MnSO ₄ +1H ₂ O	= 2125 mg/kg (Rat)		> 4.98 mg/L (Rat) 4h

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation	Classification based on individual ingredients of the mixture.
Respiratory or skin sensitization	Classification based on individual ingredients of the mixture.
Germ Cell Mutagenicity	Classification based on individual ingredients of the mixture.
Carcinogenicity	Classification based on individual ingredients of the mixture.
Reproductive Toxicity	Classification based on individual ingredients of the mixture.
STOT - Single Exposure	Classification based on individual ingredients of the mixture.
STOT - Repeated Exposure	Classification based on individual ingredients of the mixture.
Aspiration Hazard	Classification based on individual ingredients of the mixture.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity Unknown Aquatic Toxicity

Should not be released into the environment 10% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Ammonium nitrate; NH4NO3	-	65 - 85: 48 h Cyprinus carpio mg/L LC50 semi-static	-	-
Potassium sulphate; K2SO4	2900: 72 h Desmodesmus subspicatus mg/L EC50	653: 96 h Lepomis macrochirus mg/L LC50 3550: 96 h Lepomis macrochirus mg/L LC50 static 510 - 880: 96 h Pimephales promelas mg/L LC50 static	-	890: 48 h Daphnia magna mg/L EC50
Iron sulphate; FeSO4+1H2O	-	925: 96 h Poecilia reticulata mg/L LC50	-	152: 48 h Daphnia magna mg/L EC50 6.15 -

		static 0.56: 96 h Cyprinus carpio mg/L LC50 semi-static		9.26: 48 h Daphnia magna mg/L EC50 Static
Copper sulphate	-	0.1: 96 h Oncorhynchus	-	0.024: 48 h Daphnia
anhydrous; CuSO4		mykiss mg/L LC50		magna mg/L EC50

12.2. Persistence and degradability Persistence and Degradability:

No persistent or cumulative effects were observed.

12.3. Bioaccumulative potential

Bioaccumulation:

Does not bioaccumulate.

Chemical Name	LOGPOW
Ammonium nitrate; NH4NO3	-3.1
12.4. Mobility in soil	No data available.
12.5. PBT and vPvB assessment	No data available.
12.6. Other adverse effects	No data available.

Section 13: DISPOSAL CONSIDERATIONS

<u>13.1. Waste treatment methods</u> Disposal of Wastes:	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging:	Do not reuse container.
Other Information	Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

IMO / IMDG			
<u>14.1</u>			
UN-No:	Not regulated		
<u>14.2</u>			
Proper shipping name:	Not regulated		
<u>14.3</u>			
Hazard Class:	Not regulated		
<u>14.4</u>			
Packing group:	Not regulated		
<u>14.5</u>			
Chemical Name	IMDG - Marine Pollutants		
Copper sulphate anhydrous; CuSO4	IMDG regulated marine pollutant (Listed in the index,		
7758-98-7(0.1 - 1%)	listed under Copper sulphate, anhydrous, hydrates and		
	solution)		
Marine Pollutant:	No information available		
<u>14.6</u>			
Special Provisions	None		
<u>14.7</u>			
Bulk transport according Annex II of MARPOL and IBC Code No data available			
· •			
ADR/RID			
14.1			
UN-No:	Not regulated		
<u>14.2</u>			
Proper shipping name:	Not regulated		
14.3			
Hazard Class:	Not regulated		
<u>14.4</u>			
Packing group:	Not regulated		

<u>14.5</u> Environmental Hazard <u>14.6</u> Special Provisions	Not regulated None
ΙΑΤΑ	
<u>14.1</u> UN-No: 14.2_	Not regulated
Proper shipping name:	Not regulated
<u>14.3</u> Hazard Class:	Not regulated
<u>14.4 </u> Packing group:	Not regulated
14.5_	Notrogalated
Environmental Hazard	Not regulated
<u>14.6</u> Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Belgium</u>

Component	Belgium - Major Accidents - Qualifying Quantities for Safety Reporting	Belgium - Major Accidents - Qualifying Quantities for Accident Prevention
Ammonium nitrate; NH4NO3	2500 tonne (technical grade; (a) this applies	350 tonne
6484-52-2 (25 - 40%)	to Ammonium nitrate in which the Nitrogen	
	content as a result of Ammonium nitrate is (i)	
	between 24.5% and 28% by weight and	
	which contain <=0.4% total combustible or	
	(ii) >28% by weight and which contain	
	<=0.2% combustible substances (b) aqueous	6
	Ammonium nitrate solutions in which the	
	concentration of Ammonium nitrate is >80%	
	by weight)	
<u>Denmark</u>		
Denmark	No data available	
France		
ICPE	Not regulated	
Germany		
LGK (Germany)	Exempt	
Water Endangering Class (WGK):	1 (Everris classification)	
Gefahrstoffverordnung (Germany) TRGS 51		
Germany) 1KGS 51	CIII	
Component	German WGK Sec	tion
Ammonium nitrate; NH4NO3	1	
6484-52-2 (25 - 40%)		
Potassium sulphate; K ₂ SO ₄	1	
7778-80-5(10 - 25%)		
Iron sulphate; FeSO4+1H2O	1	
7720-78-7(0.1 - 1%)		
Copper sulphate anhydrous; CuSO4	2	
7758-98-7 (0.1 - 1%)		
Manganese sulphate; MnSO4+1H2O	2	
7785-87-7(0.1 - 1%)		
Component	EU - Explosives Precursors Marketing and	U - REACH (1907/2006) - Annex XVII -
oomponent	Use (98/2013) - Substances Subject to R	estrictions on Certain Dangerous
	Suspicious Transactions Reporting Suspicious Suspicius Suspicious Suspicious Suspicious Suspicious Suspicious	ubstances

2500

Present (in concentration of 16% by weight of Nitrogen in relation to Ammonium nitrate or	Use restricted. See item 58. (Conditions of restrictions 27 June 2010)
higher)	

15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Ammonium nitrate; NH4NO3	Use restricted. See item 58.	
Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)

350

Section 16: OTHER INFORMATION	

Full text of H-Statements referred to under sections 2 and 3

- H360FD May damage fertility. May damage the unborn child
- H319 Causes serious eye irritation

Ammonium nitrate; NH4NO3

- H272 May intensify fire; oxidizer
- H302 Harmful if swallowed
- H318 Causes serious eye damage
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H315 Causes skin irritation
- H373 May cause damage to organs through prolonged or repeated exposure in contact with skin
- H411 Toxic to aquatic life with long lasting effects

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

REACh: Registration, Evaluation, Authorization of Chemicals

CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit

TWA: Time Weighted Average

ATE: Acute Toxicity Estimate

EUH phrase: CLP (EU) specific hazard statement

LD50: Lethal dose, 50%.

LC50: Lethal concentration, 50%.

SVHC: Substance of Very High Concern.

Classification procedure

Calculation method

· Expert judgment and weight of evidence determination

Key literature references and sources for dataAccording to EC Regulation 1907/2006 (Reach), Regulation EU
No. 2015/830. Regulation (EC) No 1272/2008 (CLP).Prepared byRegulatory Affairs Department (INFO-MSDS@EVERRIS.COM)Issue Date04-Feb-2014Restrictions on useRestricted to professional users

Reason for revision

*** Indicates changes since the last revision. This version

replaces all previous versions This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from the served being the prevention the server of the prevention of t abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.