Safety Data Sheet

Issue Date 25-Feb-2014

Revision Date 10-Oct-2019

Version: 3.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Product Name Product Code: Pure substance/mixture

Osmocote Exact Protect 8-9M; 14-8-11+2MgO+TE 88640225EB Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised againstRecommended UseFertilizer (PC12). Restricted to professional users.Uses Advised Against:Consumer use [SU 21].

<u>1.3. Details of the supplier of the safety data sheet</u> Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Mixture

Regulation (EC) No 1272/2008 (CLP) Chronic aquatic toxicity

Category 3 - (H412)

2.2. Label elements

Hazard Statements:

H412 - Harmful to aquatic life with long lasting effects

Other hazards (UN-GHS)

Harmful to aquatic life

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Ammonium nitrate; NH4NO3	229-347-8	6484-52-2	25 - 40%	Eye Irrit. 2 (H319) Ox. Sol. 3 (H272)	01-2119490981-27
Calcium sulphate dihydrate; CaSO4+2H2O	231-900-3	10101-41-4	1 - 5%	Not classified	01-2119444918-26
Iron sulphate; FeSO₄+1H₂O	231-753-5	7720-78-7	0.1 - 1%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119513203-57
Copper sulphate anhydrous; CuSO4	231-847-6	7758-98-7	0.1 - 1%	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119520566-40
Manganese sulphate; MnSO ₄ +1H ₂ O	232-08-99	7785-87-7	0.1 - 1%	STOT RE 2 (H373)	01-2119456624-35

Compo				S//UC condida	1
Sodium borate; Na ₂ B ₄ O ₇	215-540-4	1330-43-4	0.1 - 1%	Eye Irrit. 2 (H319) Repr. 1B (H360FD)	01-2119490790-32
				Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	

Component	SVHC candidates
Sodium borate; Na ₂ B ₄ O ₇	Present
1330-43-4 (0.1 - 1%)	

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice:	First aid measures should be executed by trained personnel only.
Inhalation	Dusty conditions are unlikely if product is used as intended. However, if prolonged inhalation of dust occurs, remove casualty to fresh air. If symptoms persist, call a physician.
Skin Contact:	If a person feels unwell or symptoms of skin irritation appear, consult a physician.
Eye Contact:	Rinse eyes with water as a precaution. If eye irritation persists, consult a specialist.
Ingestion:	If conscious, drink plenty of water. Do NOT induce vomiting. Rinse mouth. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media Suitable Extinguishing Media:

Water.

Unsuitable Extinguishing Media:

High volume water jet. Dry powder. Sand. Foam.

5.2. Special hazards arising from the substance or mixture

In case of fire, the product will smoulder even without the presence of external oxygen. In these conditions the product will show self sustaining decomposition. The best method to extinguish the fire is to cool the decomposition front with water. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion Products:

Carbon oxides. Phosphorus oxides. Ammonia. Nitrogen oxides (NOx).

5.3. Advice for firefighters

Coordinate fire extinguishing measures to fire in surrounding area. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray to cool fire exposed surfaces.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions:Avoid dust formation. Sweep-up to prevent slipping hazard.For Emergency Responders:Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not contaminate surface water.

6.3. Methods and material for containment and cleaning up

Methods for Containment: Methods for Cleanup:

Prevent further leakage or spillage if safe to do so. Shovel or sweep up.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly

Store in original container. Store in a closed container.

used packaging should be closed well.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Packaging Materials: PGS-7 (The Netherlands) LGK (Germany)

7.3. Specific end use(s)

Specific use(s) Exposure scenario Fertilizer; www.everris.com; Read and follow label instructions Mixture. Not required.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

2/B

5.1C

8.1. Control parameters

Ammonium nitrate; NH4NO3	
Australia	N.A.
Czech Republic OEL	10.0 mg/m³ TWA
Calcium sulphate dihydrate; CaSO4+2H2O	
Belgium - 8 Hr TWA	10 mg/m³ TWA
Portugal	TWA: 10 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 10 mg/m ³
Switzerland	TWA: 3 mg/m ³
UK EH40 WEL (8h)	10 mg/m³ TWA (Inhalable) 4 mg/m³ TWA (Respirable)
Iron sulphate; FeSO4+1H2O	
Belgium - 8 Hr TWA	1 mg/m ³
Denmark	TWA: 1 mg/m ³
Finland	TWA: 1 mg/m ³
Ireland	TWA: 1 mg/m ³
	STEL: 2 mg/m ³
Norway	TWA: 1 mg/m ³
	STEL: 2 mg/m ³
Portugal	TWA: 1 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m ³
Switzerland	TWA: 1 mg/m ³
UK EH40 WEL (8h)	LTEL (8 hr TWA) 1 mg/m ³
	STEL (15 min) 2mg/m ³
Copper sulphate anhydrous; CuSO4	
Austria	STEL 4 mg/m ³
	TWA: 1 mg/m ³
Australia	N.A.
Finland	TWA: 0.02 mg/m ³
Poland	TWA: 0.2 mg/m ³
Russia TWA	0.5 mg/m ³ TWA 1258
Switzerland	STEL: 0.2 mg/m ³
	TWA: 0.1 mg/m ³

Manganese sulphate; MnSO4+1H2O	
Austria	STEL 2 mg/m ³
	TWA: 0.5 mg/m ³
Australia	0.2 mg/m ³
Belgium - 8 Hr TWA	0.2 mg/m ³
Denmark	TWA: 0.2 mg/m ³
Finland	TWA: 0.02 mg/m ³ TWA: 0.2 mg/m ³
Ireland	TWA: 0.2 mg/m ³
	STEL: 0.6 mg/m ³
Japan	0.2 mg/m ³ OEL Mn
NL MAC - TWA:	STEL: 0.05 mg/m ³
	TWA: 0.2 mg/m ³
Norway	TWA: 0.1 mg/m ³
	STEL: 0.1 ppm
Poland	TWA: 0.05 mg/m ³
Portugal	TWA: 0.2 mg/m ³
Spain - Valores Limite Ambientales - VLE	TWA: 0.2 mg/m ³
	TWA: 0.05 mg/m ³
Switzerland	TWA: 0.5 mg/m ³
UK EH40 WEL (8h)	5 mg/m ³
Sodium borate; Na ₂ B ₄ O ₇	
Australia	1 mg/m³ TWA
Belgium - 8 Hr TWA	2 mg/m ³ TWA borate
Denmark	TWA: 1 mg/m ³
FR - OEL - 8h VMEs	TWA: 1 mg/m ³
Iceland - OEL - 8 Hour	1 mg/m³ TWA
Ireland	TWA: 1 mg/m ³
	STEL: 3 mg/m ³
Korea - ISHA - OEL - TWAs	1 mg/m ³ TWA (anhydrous, Serial No. 244)
Malaysia	1 mg/m³ TWA
Norway	TWA: 1 mg/m ³
	STEL: 2 mg/m ³
Portugal	STEL: 6 mg/m ³
	TWA: 2 mg/m ³
Spain - Valores Limite Ambientales - VLE	STEL: 6 mg/m ³
	TWA: 2 mg/m ³
Singapore - OEL:PELs	1 mg/m ³ PEL
Switzerland	STEL: 0.8 mg/m ³
UK EH40 WEL (8h)	1 mg/m³ TWA

Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Ammonium nitrate; NH4NO3 6484-52-2 (25 - 40%)	36 mg/m ³	5.12 mg/kg bw/day	8.9 mg/m ³
Manganese sulphate; MnSO ₄ +1H ₂ O 7785-87-7 (0.1 - 1%)	37.6 mg/m ³	0.004 mg/kg bw/day	0.2 mg/m ³

Predicted No Effect Concentration (PNEC) No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Ammonium nitrate; NH₄NO₃ 6484-52-2 (25 - 40%)						18 mg/l
Copper sulphate anhydrous; CuSO4 7758-98-7 (0.1 - 1%)	7.8 μg/l	87 mg/kg	5.2 μg/l	676 mg/kg	65 mg/kg	230 µg/l
Manganese sulphate; MnSO4+1H ₂ O 7785-87-7 (0.1 - 1%)	0.013 mg/l	0.011 mg/kg	0 mg/l	0.001 mg/kg	25.1 mg/kg	25.1 mg/kg

8.2. Exposure controls

Personal protective equipment	
Eye/Face Protection	Wear eye/face protection
Hand protection	Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.
Respiratory Protection	Not required; except in case of aerosol formation. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit
Skin and body protection:	Lightweight protective clothing
Hygiene Measures:	Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
Physical State:	Solid

	Colla
Appearance:	Granules
Color:	brown.
Odor:	None
Bulk density:	990 - 1036 kg/m³
Melting Point/Freezing Point:	No data available
Boiling Point/Range:	Solid. Not applicable.
Flash Point:	Solid. Not applicable.
Evaporation Rate:	Solid. Not applicable.
Flammability (solid, gas):	Not flammable
Vapor Pressure:	Solid. Not applicable.
Vapour density	Solid. Not applicable.
Relative density	No data available
Water Solubility:	No data available
Solubility(ies)	No data available
Partition Coefficient:	Solid. Not applicable.
Autoignition Temperature:	No data available
Decomposition temperature:	No data available
Explosive Properties:	Doesn't present explosion hazard.
9.2. Other information	
VOC Content (%):	Solid. Not applicable.

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity Not reactive.

10.2. Chemical stability

Stable under normal conditions. 10.3. Possibility of hazardous reactions None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology

studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.	
Eye contact	May cause slight irritation.	
Skin Contact	May cause irritation.	
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.	
Information on Toxicological Effects		

Information on Toxicological Effe None known Acute Toxicity Unknown Acute Toxicity:

0% of the mixture consists of ingredient(s) of unknown toxicity.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium nitrate; NH4NO3	= 2217 mg/kg (Rat)	> 5000 mg/kg	> 88.8 mg/L (Rat)4 h
Iron sulphate; FeSO ₄ +1H ₂ O	= 500 mg/kg (Rat)	= 155 mg/kg (Rat)	
Copper sulphate anhydrous; CuSO4	= 300 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	
Manganese sulphate; MnSO4+1H2O	= 2125 mg/kg (Rat)		> 4.98 mg/L (Rat) 4h
Sodium borate; Na ₂ B ₄ O ₇	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2 mg/m ³ (Rat) 4 h

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation	Classification based on individual ingredients of the mixture.
Respiratory or skin sensitization	Classification based on individual ingredients of the mixture.
Germ Cell Mutagenicity	Classification based on individual ingredients of the mixture.
Carcinogenicity	Classification based on individual ingredients of the mixture.
Reproductive Toxicity	Classification based on individual ingredients of the mixture.
STOT - Single Exposure	Classification based on individual ingredients of the mixture.
STOT - Repeated Exposure	Classification based on individual ingredients of the mixture.
Aspiration Hazard	Classification based on individual ingredients of the mixture.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity Unknown Aquatic Toxicity

Should not be released into the environment 6% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Ammonium nitrate; NH4NO3	-	65 - 85: 48 h Cyprinus carpio mg/L LC50 semi-static	-	-
Iron sulphate; FeSO4+1H2O	-	925: 96 h Poecilia reticulata mg/L LC50 static 0.56: 96 h Cyprinus carpio mg/L LC50		152: 48 h Daphnia magna mg/L EC50 6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static

		semi-static		
Copper sulphate	-	0.1: 96 h Oncorhynchus	-	0.024: 48 h Daphnia
anhydrous; CuSO4		mykiss mg/L LC50		magna mg/L EC50
Sodium borate; Na ₂ B ₄ O ₇	158: 96 h Desmodesmus	340: 96 h Limanda	-	1085 - 1402: 48 h
	subspicatus mg/L	limanda mg/L LC50		Daphnia magna mg/L
		-		LC50

12.2. Persistence and degradability Persistence and Degradability:

No persistent or cumulative effects were observed.

12.3. Bioaccumulative potential Bioaccumulation:

Does not bioaccumulate.

Chemical Name	LOGPOW
Ammonium nitrate; NH4NO3	-3.1
12.4. Mobility in soil	No data available.
12.5. PBT and vPvB assessment	No data available.
12.6. Other adverse effects	No data available.

Section 13: DISPOSAL CONSIDERATIONS

<u>13.1. Waste treatment methods</u> Disposal of Wastes:	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging:	Do not reuse container.
Other Information	Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

IMO / IMDG		
<u>14.1</u>		
UN-No:	2071	
<u>14.2</u>		
Proper shipping name:	AMMONIUM NITRATE BASED FERTILIZER	
<u>14.3</u>		
Hazard Class:	9	
<u>14.4</u>		
Packing group:	III	
<u>14.5</u>		
Chemical Name	IMDG - Marine Pollutants	
Copper sulphate anhydrous; CuSO ₄	IMDG regulated marine pollutant (Listed in the index,	
7758-98-7(0.1 - 1%)	listed under Copper sulphate, anhydrous, hydrates and	
	solution)	
Marine Pollutant:	No information available	
<u>14.6</u>		
EmS:	F-H / S-Q	
Special Provisions	186, 193	
14.7		
Bulk transport according Annex II of MARPOL and IBC Cod	le No data available	
ADR/RID		
14.1		
UN-No:	Not regulated	
<u>14.2</u>	č	
Proper shipping name:	Not regulated	
14.3	U U U U U U U U U U U U U U U U U U U	
Hazard Class:	Not regulated	
	-	

<u>14.4</u> Packing group: <u>14.5</u> Environmental Hazard <u>14.6</u>	Not regulated
Special Provisions	None
ΙΑΤΑ	
14.1	
UN-No:	2071
<u>14.2</u>	
Proper shipping name:	AMMONIUM NITRATE BASED FERTILIZER
<u>14.3</u>	
Hazard Class:	9
14.4 Desking group	III
Packing group: <u>14.5</u>	
Environmental Hazard	Not regulated
<u>14.6</u>	Not regulated
Special Provisions	A89, A90

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Belgium

Component	Belgium - Major Accidents - Qualifying Quantities for Safety Reporting	Belgium - Major Accidents - Qualifying Quantities for Accident Prevention
Ammonium nitrate; NH₄NO₃ 6484-52-2 (25 - 40%)	2500 tonne (technical grade; (a) this applies to Ammonium nitrate in which the Nitrogen content as a result of Ammonium nitrate is (i) between 24.5% and 28% by weight and which contain <=0.4% total combustible or (ii) >28% by weight and which contain <=0.2% combustible substances (b) aqueous Ammonium nitrate solutions in which the concentration of Ammonium nitrate is >80% by weight)	
Denmark Denmark	В	
<u>France</u> ICPE	Classified installation: ar	ticle 4702
<u>Germany</u> LGK (Germany) Water Endangering Class (WGK): Gefahrstoffverordnung (Germany) TRGS 511	5.1C 1 (Everris classification) B II	
Component	German WGK Sect	ion
Ammonium nitrate; NH₄NO₃ 6484-52-2 (25 - 40%)	1	
Calcium sulphate dihydrate; CaSO4+2H2O	1	

10101-41-4 (1 - 5%)	
Iron sulphate; FeSO4+1H2O	1
7720-78-7(0.1 - 1%)	
Copper sulphate anhydrous; CuSO4	2
7758-98-7(0.1 - 1%)	
Manganese sulphate; MnSO4+1H2O	2
7785-87-7(0.1 - 1%)	
Sodium borate; Na ₂ B ₄ O ₇	1
1330-43-4 (0.1 - 1%)	

Component	Use (98/2013) - Substances Subject to	EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances
Ammonium nitrate; NH₄NO₃ 6484-52-2(25-40%)	Present (in concentration of 16% by weight of Nitrogen in relation to Ammonium nitrate or higher)	Use restricted. See item 58. (Conditions of restrictions 27 June 2010)
Sodium borate; Na₂B₄O⁊ 1330-43-4 (0.1 - 1%)		Use restricted. See item 30.

Component	EU - REACH (1907/2006) - Article 59(1) - Candidate List of	
	Substances for Eventual Inclusion in Annex XIV	
Sodium borate; Na2B4O7 1330-43-4 (0.1 - 1%)	Reason for inclusion Toxic for reproduction, Article 57c (215-540-4)	

15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Ammonium nitrate; NH4NO3	Use restricted. See item 58.	
Sodium borate; Na ₂ B ₄ O ₇	Use restricted. See item 30.	

Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
	350	2500
Ammonium nitrate; NH4NO3		

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H319 Causes serious eye irritation
- H272 May intensify fire; oxidizer
- H302 Harmful if swallowed
- H318 Causes serious eye damage
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H315 Causes skin irritation
- H373 May cause damage to organs through prolonged or repeated exposure
- H411 Toxic to aquatic life with long lasting effects
- H360FD May damage fertility. May damage the unborn child

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

REACh: Registration, Evaluation, Authorization of Chemicals

CLP: EU-GHS; Classification, Labelling and Packaging **OEL: Occupational Exposure Limit** TWA: Time Weighted Average ATE: Acute Toxicity Estimate EUH phrase: CLP (EU) specific hazard statement LD50: Lethal dose, 50%. LC50: Lethal concentration, 50%. SVHC: Substance of Very High Concern. · Calculation method **Classification procedure** · Expert judgment and weight of evidence determination According to EC Regulation 1907/2006 (Reach), Regulation EU Key literature references and sources for data No. 2015/830. Regulation (EC) No 1272/2008 (CLP). Prepared by Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM) **Issue Date** 25-Feb-2014 **Restrictions on use** Restricted to professional users *** Indicates changes since the last revision. This version **Reason for revision** replaces all previous versions This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.