



**Agroleaf®  
Power**

## High P

Relieve stress in your plants with phosphate

12 | 52 | 5 | TE  
N P<sub>2</sub>O<sub>5</sub> K<sub>2</sub>O



## Guaranteed analysis

oxide		
N	Total Nitrogen	12%
	Nitrate nitrogen (N-NO <sub>3</sub> )	0%
	Ammoniacal nitrogen (N-NH <sub>4</sub> )	8.7%
	Urea nitrogen (N-Urea)	3.3%
	Organic nitrogen	0%
P <sub>2</sub> O <sub>5</sub>	Phosphorus Pentoxide	52%
	Water soluble (P <sub>2</sub> O <sub>5</sub> )	52.0%
K <sub>2</sub> O	Potassium Oxide	5%
	Water Soluble (K <sub>2</sub> O)	5.0%
B	Boron	0.03%
	Water soluble (B)	0.03%
Cu	Copper	0.070%
	Water soluble (Cu)	0.070%
	Copper EDTA (Cu)	0.070%
Fe	Iron	0.14%
	Water soluble (Fe)	0.14%
	Iron EDTA (Fe)	0%
	Iron DTPA (Fe)	0.14%
	Iron EDDHA (Fe)	0%
Mn	Manganese	0.07%
	Water soluble (Mn)	0.07%
	Manganese EDTA (Mn)	0.07%
Mo	Molybdenum	0.001%
	Water soluble (Mo)	0.001%
Zn	Zinc	0.070%
	Water soluble (Zn)	0.070%
	Zinc EDTA (Zn)	0.070%

## Description

Agroleaf® Power High P is a foliar feed containing soluble phosphate to support tuber initiation in potatoes and better root development when re-establishing vegetable transplants. A great stress reliever for plants, it also enhances blossoming and prevents abortions in fruit crops. Formulated from the cleanest raw materials around, its purity makes it completely soluble in cold water, delivering a fast crop response and eliminating any risk of spray blockage. What's more, Agroleaf® Power High P is compatible with a wide range of crop protection sprays. High P is best applied to young plants after root growing has finished and phosphate uptake by the roots becomes limited.

## Benefits

- Provides soluble phosphate with optimal uptake
- Ideal for tuber initiation in potatoes and root development in re-established vegetable transplants
- Enhances blossoming and limits abortions in fruit crops

## How to use

- 1 Apply under high pressure.
- 2 Can be mixed with many fungicides/insecticides. Ask your distributor for information.
- 3 For all mixes with chemicals, do a small trial before using on a large scale. Check response in two or three days.
- 4 Avoid spraying in periods of unfavorable conditions, for example bright sunlight, high midday temperatures,



and high evaporation periods).



## Application rates

---

Dissolve 3-5 kg in 200-600 liters of water per hectare for outdoor applications.

---

We recommend a 0.3% solution for greenhouse application.

Trial first on a small scale before changing the rate, or any other variables, As circumstances can differ and the application of our products is beyond our control, ICL cannot be held responsible for any adverse results.

## Attention

Trial first on a small scale before changing the rate, application, or any other variables. As circumstances can differ and as the application of our products is beyond our control, ICL cannot be held responsible for any adverse results. Contact your ICL advisor for more detailed advice.

---